

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : <b>G06F 17/00</b>		<b>A2</b>	(11) International Publication Number: <b>WO 00/68823</b>
			(43) International Publication Date: 16 November 2000 (16.11.00)
(21) International Application Number: <b>PCT/US00/12456</b>		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: <b>8 May 2000 (08.05.00)</b>		<b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>	
(30) Priority Data: <b>09/309,161 10 May 1999 (10.05.99) US</b>			
(71) Applicant: <b>YAHOO, INC. [US/US]; 3420 Central Expressway, Santa Clara, CA 95051 (US).</b>			
(72) Inventors: <b>CUI, Lawrence; 1047 South Blaney Avenue, San Jose, CA 95129 (US). MARCHUKOV, Mark, Vladimirovich; Apartment 9, 250 Curtner Avenue, Palo Alto, CA 94306 (US). VO, Phan, T.; 3673 Thrush Terrace, Fremont, CA 94555 (US). MENDHEKAR, Anurag; 946 Tamarack Lane #11, Sunnyvale, CA 94086 (US). VISHWANATH, Mohan; 537 Tarter Court, San Jose, CA 95136 (US).</b>			
(74) Agent: <b>FLIESLER, Martin, C.; Fliesler, Dubb, Meyer &amp; Lovejoy LLP, Suite 400, Four Embarcadero Center, San Francisco, CA 94111-4156 (US).</b>			
(54) Title: <b>METHOD AND APPARATUS FOR PROXY SERVER COOKIES</b>			
(57) Abstract <p>Methods and apparatus to handle cookies in a response Web page requested by a client. One method includes the steps of (a) generating a session id to identify a new session, (b) stripping off any cookies set by an external web site from the response header of the response Web page, (c) appending the session id to all of the links embedded in the response page, and (d) sending the modified response page, with the new header, to the client.</p>			

**BEST AVAILABLE COPY**

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

-1-

## METHOD AND APPARATUS FOR PROXY SERVER COOKIES

### BACKGROUND OF THE INVENTION

The present invention relates generally to a Web technology and more particularly to methods and apparatus for proxy server cookies.

5 Cookies have been used in the World Wide Web (Web) to track a visitor's session state. However, many browsers running on devices with limited memory capacity do not or cannot accept cookies. Also, for privacy reasons, many browsers also disable cookie handling mechanisms of their browsers. As a result, these browsers cannot access web pages that mandate cookie handling.

10 Thus there is a need for an alternative method to handle cookies in the Web.

### SUMMARY

The present invention is on methods and apparatus that can handle cookies for  
15 devices with limited memory capacity.

In one embodiment, this is done by a server, which centralizes cookie handling for browsers on a number of clients. Not only does the invention solve the problems of browsers that cannot handle cookies, the invention also protects the privacy of surfers by hiding their identities.

20

### DETAILED DESCRIPTION OF THE INVENTION

One embodiment of the present invention is based on the concept of dynamic session, which starts when a browser sends a fresh request to a proxy server to access  
25 information on the Web.

In the present invention, the Web is defined as a network of computers that publish information using a standard protocol, such as HTTP, FTP or TCP/IP. A

-2-

dynamic session is defined as a request that the proxy server has no prior memory of.

When a new session is started, a unique session id can be generated. Within the same session, all embedded links in the response page can then be stamped with the same session id. A sessioned request is defined as a request that has session id information in addition to the request itself. The proxy server can relate a sessioned request to a session via the session id. The session continues as long as the user stays in the links of the first page or pages generated from links in the first page. A session expires when its age reaches the lifetime set by the server. The session lifetime can be configurable through a configuration parameter. Due to the dynamic nature of the session, users do not have to log into the proxy server that provides centralized cookie handling services. Same user can start multiple sessions at the same time.

In one embodiment, a client sends a fresh request for a particular URL to the proxy server. The proxy server first checks the request header to determine whether the browser of the client is capable of handling cookies. If the browser accepts cookies, and if the browser does not intend to disable cookie-handling capabilities, the proxy server would not provide cookie service. Otherwise, the proxy server first generates a session id to identify the new session.

The proxy server then sends the request to the targeted external web site to get the corresponding page. After getting the response page, the proxy server first strips off any cookies set by the external web site from the response header. The cookies, owned by a particular session and identified by the session id, are typically stored in a cookie repository for subsequent requests within the session.

In one embodiment, the session id, or its encoded or encrypted version, is in a configuration of a URL, or an address the web browser recognizes.

The proxy server then appends the session id or its encoded or encrypted version to all of the links embedded in the response page. Then, the proxy server sends the modified response page, with the new header, to the corresponding client.

In one embodiment, when a sessioned request is received, the proxy first

-3-

retrieves and stripes off the session id from the request URL. The session id and the URL are then used to retrieve the cookies from the cookie repository. The proxy then uses the cookies retrieved to generate a cookie header. The new cookie header is then appended to the original request header. The session information is removed from the  
5 URL. The request is then sent to the external web site to fetch the page. After receiving the page from the external web site, the same procedure as that of handling a fresh request is used to process the header and the page.

-4-

**CLAIMS**

1. A method to handle cookies in a response Web page requested by a client comprising the steps of:
  - generating a session id to identify a new session;
- 5
  - stripping off any cookies set by an external web site from the response header of the response Web page;
  - appending the session id to all of the links embedded in the response page; and
  - sending the modified response page, with the new header, to the client.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**